


547640

DampDry 31, 40 [DampDry  
31, Klittenband, 40 cm,  
GrijsecSizes@{Unit}], Grijs



Ontworpen en bedoeld voor gladde vloeren, zoals vinyl. Zoals de naam al suggereert combineert deze mop de voordelen van droog en klamvochtig moppen. Bij droog gebruik zal de mop vuil verzamelen van middelmatig vervuilde vloeren door de antistatische werking van de vezels. Bij klamvochtig gebruik zal de capillaire werking van de vezels een uitstekend eindresultaat opleveren bij licht tot middelmatig vervuilde oppervlakken.

# Technical Data

<b>Item Number</b>	547640
<b>500 Wash Usage Guarantee</b>	Ja
<b>Certificaatnummer Nordic Ecolabel.</b>	5083 0008
<b>Nordic Swan Ecolabel</b>	Ja
<b>Materiaal</b>	100% Polyester (38% Microfiber)
<b>Voor Levensmiddelen (EU 1935/2004) DoC <sup>1</sup></b>	Nee
<b>FDA goedgekeurd (CFR 21)</b>	Nee
<b>Meets the REACH Regulation (EC) No. 1907/2006</b>	Ja
<b>Aantal per collo</b>	5 Pcs.
<b>Aantal per pallet (80 x 120 x 180-200 cm)</b>	2000 Pcs.
<b>Quantity Per Layer (Pallet)</b>	200 Pcs.
<b>Lengte</b>	480 mm
<b>Breedte</b>	140 mm
<b>Hoogte</b>	10 mm
<b>Netto gewicht</b>	0,1 kg
<b>Gewicht zak (Recycling Symbol "4" Low Density Polyethylene (LDPE))</b>	0,002 kg
<b>Gewicht doos (Recycling symbol "20" PAP)</b>	0,01 kg
<b>Tare total</b>	0,012 kg
<b>Bruto gewicht</b>	0,12 kg
<b>Kubieke meter</b>	0,000672 M3
<b>Systeem afmetingen</b>	40 cm
<b>Maximum droogtemperatuur</b>	55 °C
<b>Max. Machinewashing Temperature</b>	95 °Celsius
<b>Recommended sterilisation temperature (Autoclave)</b>	121 °C
<b>GTIN-13 code</b>	5705025476407
<b>GTIN-14 code</b>	15705025476404
<b>Commodity code</b>	63071010
<b>Land van oorsprong</b>	Estonia

Wash the products as soon as possible after use - to reduce the risk that dirt becomes ingrained with stains and odors as result.

First wash should be done at minimum 85 ° C and separately to avoid staining

Wash cloths and mops of various types separately, to avoid contaminating each other with lint.

Pre-rinse in cold water with frequent water change, no added chemicals - in order to remove any chemicals that can have been used for cleaning and may interfere with or cause a negative impact on the fabric at higher temperatures in the washing process

Use Dry or Damp

Recommended preparation 150 % of item weight