

548549

# Damp 47 Dark, Klittenband, 40 cm, Grijs



Vochtige mop voor gebruik op alle vloeren. Ontworpen voor het wegnemen van vettige vervuiling op industriële vloeren (met of zonder anti-slip). De massaal aanwezige microvezels in het hart van de mop hebben een zeer groot reinigend vermogen. De ribbelstructuur zorgt voor een grondig bereik, ook bij ongelijke vloeren.

# Technical Data

<b>Item Number</b>	548549
<b>500 Wash Usage Guarantee</b>	Ja
<b>Nordic Swan Ecolabel</b>	Ja
<b>Certificaatnummer Nordic Ecolabel.</b>	5083 0008
<b>Materiaal</b>	90% Polyester, 7% viscose, 3% Polyamide (62% microvezel)
<b>Voor Levensmiddelen (EU 1935/2004) DoC <sup>1</sup></b>	Nee
<b>FDA goedgekeurd (CFR 21)</b>	Nee
<b>Meets the REACH Regulation (EC) No. 1907/2006</b>	Ja
<b>Aantal per collo</b>	5 Pcs.
<b>Aantal per pallet (80 x 120 x 180-200 cm)</b>	2000 Pcs.
<b>Quantity Per Layer (Pallet)</b>	200 Pcs.
<b>Lengte</b>	506 mm
<b>Breedte</b>	155 mm
<b>Hoogte</b>	10 mm
<b>Netto gewicht</b>	0,08 kg
<b>Gewicht zak (Recycling Symbol "4" Low Density Polyethylene (LDPE))</b>	0,003 kg
<b>Gewicht doos (Recycling symbol "20" PAP)</b>	0,01 kg
<b>Tare total</b>	0,013 kg
<b>Bruto gewicht</b>	0,1 kg
<b>Kubieke meter</b>	0,000784 M3
<b>Systeem afmetingen</b>	40 cm
<b>Maximum droogtemperatuur</b>	55 °C
<b>Max. Machinewashing Temperature</b>	95 °Celsius
<b>Recommended sterilisation temperature (Autoclave)</b>	121 °C
<b>GTIN-13 code</b>	5705022001053
<b>GTIN-14 code</b>	15705028001078
<b>Commodity code</b>	63071010
<b>Land van oorsprong</b>	Estonia

Wash the products as soon as possible after use - to reduce the risk that dirt becomes ingrained with stains and odors as result.

First wash should be done at minimum 85 ° C and separately to avoid staining

Wash cloths and mops of various types separately, to avoid contaminating each other with lint.

Pre-rinse in cold water with frequent water change, no added chemicals - in order to remove any chemicals that can have been used for cleaning and may interfere with or cause a negative impact on the fabric at

higher temperatures in the washing process

Use Damp

Recommended preparation 175 % of item weight